

Color Values and Tinting Strength

Canri Pigment

Color the world!

Deep Chrome Yellow 805

Description	
Appearance	Yellow Powder
Chemical Class	PbCrO4
Colour Index No.	Pigment Yellow 34 (77600)
CAS No.	1344-37-2
Usage	Paint, Coating, Plastic, Ink.

Color values and rinting Strength			
	Min.	Max.	
Color Shade	Familar	Small	
riangleE*ab		1.0	
Relative Tinting Strength [%]	95	105	
T 1 ' 1B (

Technical Data			
	Min.	Max.	
Water-soluble Content [%]		1.0	
Sieve Residue (0.045mm sieve) [%]		1.0	
pH Value	5.0	8.0	
Oil Absorption [g/100g]		22	
Moisture Content (after production) [%]		1.0	
Heat Resistance [℃]	~	180	
Light Resistance [Grade]	~	4~5	
Whether Resistance [Grade]	~	4	

Packaging

25kg/bag, Wooden Plallet

Transport and storage

Protect against weathering. Store in ventilated and dry place, avoid extreme fluctuations in temperature. Close bags after use to prevent the absorption of moisture and contamination.

Safety

The product is not classified as dangerous under the relevant EC directives and corresponding national regulatons valid in the individual EU member states. It is not dangerous according to transport regulations.

In countries ourside the EU, compliance with the respective national legislation concerning the classification, packaging, labelling and transport dangerous substances must be ensured.